

PROCOJN3



PRODUCT SELECTOR

AMENITY DOOR RANGE



Eurocold



DURABLE FULLY ENGINEERED DOOR SYSTEM

- ROBUST CONSTRUCTION
- HYGIENIC AND FOODSAFE
- SPECIFICATION TO SUIT CUSTOMER REQUIREMENTS
- AVAILABLE IN A WIDE RANGE OF COLOURS AND FINISHES
- COMPREHENSIVE WARRANTY PACKAGES



SALES HOTLINE - 0845 094 4060

AMENITY DOORS

- TECHNICAL & SPECIFICATION OPTIONS

VERSION

- Single leaf single action - AMHSS
- Double leaf single action - AMHDS
- Single leaf double action - AMHSD
- Double leaf double action - AMHDD

FRAME & DOOR SURROUND CHANNEL OPTIONS

- Anodised aluminium finish (STANDARD)
- Powder coated aluminium
- 304 grade stainless steel

FRAME TYPE

- 80mm or 100mm clamp frame (STANDARD)
- 50mm - 150mm adjustable clamp frame
- Block work mounting frame

GASKET

- Schlegel q-lon mounted in door jamb 100% memory (STANDARD)
- Range of threshold seals available

INSULATED CORE

- 40mm thick PIR

DOOR LEAF FINISH

- White Foodsafe Laminate internal and external (STANDARD)
- Full range of Corus HP200, HPS200 & PVF2 standard steels
- 304 grade stainless steel
- PVC or GRP

LOCKS

- Eurocylinder 5 pin mortise latch (STANDARD)
- Digital combination & magnetic
- Thumb turn with indicator
- Panic bar / push pad with or without external override
- Kingpin or Redlam bolt

FITTINGS

- Stainless steel lever handles (STANDARD)
- Stainless steel pull handle / push plate
- Door closers complete range
- Vision panel single or dual glazed

KICK PLATES

- Profiled aluminium
- 304 grade stainless steel
- PVC or GRP



ALSO AVAILABLE

- FERMOD SPARES
- FLASHINGS
- FLOOR INSULATION
- GLASS DOORS
- GOAL POSTS
- HEATER MATS
- HYGIENIC PERSONNEL DOORS
- INSULATED HINGED & SLIDING DOORS
- MEAT RAIL DOORS
- PIR PANELS
- RAMPS
- RAPID RISE DOORS
- ROLLER SHUTTER DOORS
- SEALANTS, FOAM & FIXINGS
- SHELVING
- STRIP CURTAINS
- SUPPORT FRAMES
- SUSPENSION SYSTEMS
- VISION PANELS

SALES HOTLINE - 0845 094 4060

HINGED DOOR RANGE



Eurocold



DURABLE FULLY ENGINEERED HINGED DOOR, DESIGNED FOR AMBIENT, CHILL AND FREEZER APPLICATIONS

-  **ROBUST CONSTRUCTION**
-  **HYGIENIC AND FOODSAFE**
-  **SPECIFICATION TO SUIT CUSTOMER REQUIREMENTS BASED ON FULL RANGE OF FERMOD FITTINGS**
-  **AVAILABLE IN A WIDE RANGE OF COLOURS AND FINISHES**
-  **COMPREHENSIVE WARRANTY PACKAGES**



SALES HOTLINE - 0845 094 4060

HINGED DOORS

- TECHNICAL & SPECIFICATION OPTIONS

VERSION

- HANDLE - Available with the complete range of Fermod non - locking and locking fasteners for example 621, 920 (STANDARD), 921, 1220, 1221 & 1216 dependant on the weight and intended application
- HINGE - Any selection from the full Fermod range for example 491, 581 (STANDARD), 556E, & 456/E dependant on the weight and intended application.
- TYPE - Suitable for ambient (AMB), chill (CH), freezer (FRZ) and blast freezer (BFZ) application
- LEAF - Single or double

FRAME & DOOR SURROUND CHANNEL OPTIONS

- Anodised aluminium finish (STANDARD)
- Powder coated aluminium
- 304 grade stainless steel

FRAME TYPE

- Face mounted complete with door reveal linings and nylon fixing bolts

HEATERS

- Low voltage frame and threshold heaters supplied as standard on all low temperature doors
- Heaters can also be incorporated within the door leaf if so required

GASKET

- Fermod double row

INSULATED CORE

- 40mm, 80mm, 100mm or 150mm thick PIR



(PIR CORE STANDARD)

DOOR LEAF FINISH

- White Foodsafe Laminate internal and external (STANDARD)
- Full range of Corus HP200, HPS200 & PVF2 standard steels
- 304 grade stainless steel
- PVC or GRP

LOCKS

- Full Fermod range all with internal safety release
- Panic bar / push pad with or without external override
- Kingpin or Redlam bolt
- Hasp & staple with internal safety release

FITTINGS

- Vision panel single or dual glazed

KICK PLATES

- Profiled aluminium
- 304 grade stainless steel
- PVC or GRP



ALSO AVAILABLE

- FERMOD SPARES
- FLASHINGS
- FLOOR INSULATION
- GLASS DOORS
- GOAL POSTS
- HEATER MATS
- HYGIENIC PERSONNEL DOORS
- INSULATED HINGED & SLIDING DOORS
- MEAT RAIL DOORS
- PIR PANELS
- RAMPS
- RAPID RISE DOORS
- ROLLER SHUTTER DOORS
- SEALANTS, FOAM & FIXINGS
- SHELVING
- STRIP CURTAINS
- SUPPORT FRAMES
- SUSPENSION SYSTEMS
- VISION PANELS

SALES HOTLINE - 0845 094 4060

SLIDING DOOR RANGE



Eurocold



**DURABLE FULLY ENGINEERED
SLIDING DOOR, DESIGNED FOR AMBIENT,
CHILL AND FREEZER APPLICATIONS**

-  **ROBUST CONSTRUCTION**
-  **HYGIENIC AND FOODSAFE**
-  **SPECIFICATION TO SUIT CUSTOMER
REQUIREMENTS BASED ON THE FULL
RANGE OF FERMOD TRACK SYSTEMS**
-  **AVAILABLE IN A WIDE RANGE
OF COLOURS AND FINISHES**
-  **COMPREHENSIVE WARRANTY
PACKAGES**



SALES HOTLINE - 0845 094 4060

SLIDING DOORS

- TECHNICAL & SPECIFICATION OPTIONS

VERSION

- TRACK - Available on all Fermod manual and automatic track systems for example 2120, 2150, 2320, 2420, 3530, 4440 & 7530 dependent on the weight and intended application
- TYPE - Suitable for ambient (AMB), chill (CH), chill meat rail (CMR), freezer (FRZ) and blast freezer (BFZ) applications

FRAME & DOOR SURROUND CHANNEL OPTIONS

- Anodised aluminium finish (STANDARD)
- Powder coated aluminium
- 304 grade stainless steel

FRAME TYPE

- Face mounted complete with door reveal linings, nylon fixing bolts and floor guide fixing bolts

HEATERS

- Low voltage frame and threshold heaters supplied as standard on all low temperature doors
- Heaters can also be incorporated within the door leaf if so required

GASKET

- Fermod single / double row depending on operating temperature

INSULATED CORE

- 40mm, 80mm, 100mm or 150mm thick PIR



DOOR LEAF FINISH

- White Foodsafe Laminate internal and external (STANDARD)
- Full range of Corus HP200, HPS200 & PVF2 standard steels
- 304 grade stainless steel
- PVC or GRP

LOCKS


- Full Fermod range all with internal safety release
- Hasp and staple with internal safety release

FITTINGS

- Vision panel single or dual glazed

KICK PLATES

- Profiled aluminium
- 304 grade stainless steel
- PVC or GRP



ALSO AVAILABLE


- FERMOD SPARES
- FLASHINGS
- FLOOR INSULATION
- GLASS DOORS
- GOAL POSTS
- HEATER MATS
- HYGIENIC PERSONNEL DOORS
- INSULATED HINGED & SLIDING DOORS
- MEAT RAIL DOORS
- PIR PANELS
- RAMPS
- RAPID RISE DOORS
- ROLLER SHUTTER DOORS
- SEALANTS, FOAM & FIXINGS
- SHELVING
- STRIP CURTAINS
- SUPPORT FRAMES
- SUSPENSION SYSTEMS
- VISION PANELS

SALES HOTLINE - 0845 094 4060

METAL FLASHINGS & TRIMS



Eurocold



STOCK MATERIALS INCLUDE:

- WHITE FOODSAFE PVC LAMINATED STEEL
- HPS & HP200 COLOUR COATED STEELS
- GALVANISED STEEL
- STAINLESS STEEL
- PROFILED ALUMINIUM
- ALTERNATIVE MATERIALS ALSO AVAILABLE.....



SALES HOTLINE - 0845 094 4060

METAL FLASHINGS & TRIMS

All manufactured in house on the latest CNC machinery for accuracy and consistency, used extensively by Coldstore & Cladding contractors to achieve quality cost effective solutions.

We are able to offer a quick turnaround from point of order to meet customer requirements and many standard items are kept in stock for immediate dispatch.

We guarantee to beat any price based on a like for like basis, and in many cases large orders qualify for free delivery!

ANCILLARY/CONSUMEABLE ITEMS

We also stock the following items to compliment your flashing/door order:

Adhesives & tapes
Hammer fixings
Nylon bolts
PVC floor channel
Self drilling screws
Silicone sealant
Spray foam
Stainless & aluminium rivets
Tek screws
Through bolts
Two part aluminium/PVC coving
White rivets



ALSO AVAILABLE

- FERMOD SPARES
- FLASHINGS
- FLOOR INSULATION
- GLASS DOORS
- GOAL POSTS
- HEATER MATS
- HYGIENIC PERSONNEL DOORS
- INSULATED HINGED & SLIDING DOORS
- MEAT RAIL DOORS
- PIR PANELS
- RAMPS
- RAPID RISE DOORS
- ROLLER SHUTTER DOORS
- SEALANTS, FOAM & FIXINGS
- SHELVING
- STRIP CURTAINS
- SUPPORT FRAMES
- SUSPENSION SYSTEMS
- VISION PANELS



SALES HOTLINE - 0845 094 4060

Hygienic

& Temperature Control

- Amenity multi purpose doors
- Hinged doors
- Sliding doors
- Automatic doors
- Meat rail doors
- Crash doors
- Louvered doors

Insulation options

- Polyurethane
- PIR
- Mineral wool
(non combustible)

Applications

- Low temperature
- Chill temperature
- Hygienic areas
- Food processing areas

Services

- Delivery
- Installation
- Repair
- Maintenance



Unit 7
Black Moor Business Park
New Road
Maulden
Bedfordshire
MK45 2BG

Telephone: 01525 406666
Facsimile: 01525 403838
E-mail : sales@eurocold.co.uk